

6413181.122198




Fig. 2
Perspective
view









Fig. 1
Perspective
view









60113181.122198




8612227-1812198




6013181.122109




60113181 - 100198





SIMPLD REP: RAIL-REP


6013181.122198



SIMPLD REP:RAIL-REP

SWR TO REP 8411-REP

Fig. 12
Perspective view
control apparatus
left foot operated
removal



6013181-12198
6013181-12198

NOTES UNLESS OTHERWISE SPECIFIED

1. ASSEMBLY SEQUENCE
1) ATTACH ALUMINUM SKIN TO TOP WITH ADHESIVE TAPE (NOT SHOWN)
2) ATTACH ALUMINUM SKIN TO BOTTOM WITH ADHESIVE TAPE (NOT SHOWN)
3) INSERT SPRING INTO HOLE IN CASE BOTTOM HINGE
4) INSERT MOUNTING RAIL INTO CASE BOTTOM
5) ATTACH CASE TOP ASSEMBLY TO CASE BOTTOM
6) INSERT HINGE PIN




Fig. 13

ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
7	1	SHM-007	HINGE PIN	STAINLESS STEEL
6	1	SHM-008	SPRING	-STEEL
5	1	SHM-003	MOUNTING RAIL	ABS
4	1	SHM-002	CASE BOTTOM	ABS
3	1	SHM-005	AL SKIN BOTTOM	ALUMINUM
2	1	SHM-001	CASE TOP	ABS
1	1	SHM-004	AL SKIN TOP	ALUMINUM

[illegible]